
From: Smalley, Bryant
Sent: Wednesday, August 30, 2017 12:53 PM
To: Foster, Althea; Restivo, Angela
Subject: FW: Photos from MCC
Attachments: MCC-East.pdf; ATT00001.htm; aeration basin_final clarifer.jpg; ATT00002.htm

This should be included on Remedial's update, but just in case.

Bryant

From: Adams, Adam
Sent: Wednesday, August 30, 2017 12:47 PM
To: Meyer, John ; Smalley, Bryant
Cc: Josiam, Raji ; Webster, Susan
Subject: Fwd: Photos from MCC

More recent photos and analytical.
Adam

Sent from my iPhone

Begin forwarded message:

From: "Joe Biss" <Joe.Biss@ehs-support.com>
To: "Adams, Adam" <Adams.Adam@epa.gov>
Cc: "Corey Bercher" <Corey.Bercher@WestonSolutions.com>, "t.a.walzer@westonsolutions.com" <t.a.walzer@westonsolutions.com>
Subject: RE: Photos from MCC

Adam,
As requested here are photos of the materials in the Gravity Thickener and the Chlorine Contact Tank (see MCC-East pdf). The other photos in that pdf give you a good perspective pre-Harvey since the were taken from about the same spot as the Harris County photos. I also attached a picture of the Aeration Basin as it was also shown in the photos from Harris County to have been overtopped in the flooding.

As for the most recent analytical results you can find them in a couple of the past monthly reports.

- Aeration Basin was sampled in March 2015 - results included in April 10, 2015 (Attachment 7)
- Gravity Thickener and Chlorine Contact Tank were sampled in May 2015 - results included in July 10, 2015 (Attachment 4).

If you need easy access to copies of the monthly reports please let me know and I will try to get them uploaded to SharePoint and send you a link.

Regards,

Joe Biss, CHMM
EHS Support LLC.
201 Edgewood Drive

Beaver, PA 15009

724-544-4874

joe.biss@ehs-support.com

www.ehs-support.com



Work Safe. Live Safe. Stay Safe.

Joe appreciates your feedback. Please leave your anonymous responses [here](#).

From: Adams, Adam [<mailto:Adams.Adam@epa.gov>]

Sent: Wednesday, August 30, 2017 11:50 AM

To: Joe Biss <Joe.Biss@ehs-support.com>; t.a.walzer@westonsolutions.com

Cc: Corey Bercher <Corey.Bercher@WestonSolutions.com>

Subject: FW: Photos from MCC

Here are some early ones. The pdf is the year before EPA was activated. The two jpg's were a few days after EPA was activated.

I'm sure we have closer more recent ones.

Thanks

Adam

From: Adams, Adam

Sent: Wednesday, August 30, 2017 10:48 AM

To: Meyer, John <Meyer.John@epa.gov>

Cc: Josiam, Raji <josiam.raji@epa.gov>; Webster, Susan <webster.susan@epa.gov>

Subject: Photos from MCC

These are from 2009 TCEQ inspection, and then July 2010 by TCEQ.

Looking for some more recent.

Adam

Vince Bayou WWTP – East



Gravity Thickener



Aerobic Digester/Belt
Press Building

Vince Bayou WWTP – East



Oxygen Digesters



Chlorine Contact Tank

